Int. j. adv. multidisc. res. stud. 2025; 5(4):1494-1501

Received: 28-06-2025
Accepted: 08-08-2025

International Journal of Advanced Multidisciplinary Research and Studies

ISSN: 2583-049X

Riding the Wake: The Physics Behind Ducklings Swimming in Formation and Implications for High School Physics Teaching

Konstantinos T Kotsis
Lab of Physics Education and Teaching, Department of Primary Education, University of Ioannina, Greece

DOI: https://doi.org/10.62225/2583049X.2025.5.4.4786
Corresponding Author: **Konstantinos T Kotsis**

Abstract
This study examines the physics governing the synchronized swimming of ducklings in formation after their mother, emphasizing its educational value for secondary physics instruction. Recent studies in fluid dynamics indicate that ducklings get energetic advantages by situating themselves in particular areas of their mother's wake, where constructive interference of surface waves diminishes drag and improves propulsion. This biological behavior exhibits fundamental physics principles through concepts such as surface wave creation, wave interference, energy transfer, and dynamic equilibrium. The research introduces a multifaceted methodology for instructing these notions through the amalgamation of observational data, computer modeling, and experimental simulation. Students are urged to explore wave physics via inquiry-based learning and transdisciplinary links to biology and engineering. The study encompasses classroom-ready resources, including lesson plans, simulation activities, and visual aids that facilitate conceptual comprehension and scientific processes as delineated in the Next Generation Science Standards (NGSS). The duckling formation, situated inside a genuine ecological framework, effectively illustrates wave processes, providing a concrete basis for examining abstract physics concepts. The results underscore the pedagogical significance of real-world events in enhancing students' scientific literacy, systems thinking, and recognition of the coherence of natural principles across several disciplines.

Keywords: Wave Interference, Constructive Interference, Physics Education, Bio-Inspired Fluid Dynamics

1. Introduction

The natural world is filled with instances of motion and energy transfer that exemplify fundamental physical concepts. The organized line of ducklings trailing their mother across a tranquil lake has historically symbolized instinct, maternal nurturing, and survival. Yet, beneath the facade of this ostensibly straightforward behavior exists a complex interaction of hydrodynamics, energy optimization, and collective motion. Recent study has demonstrated that swimming is not just a behavioral activity but also biomechanically beneficial. Research indicates that ducklings gain energetic advantages by carefully orienting themselves within the wave field created by the mother duck's movement [1]. This phenomenon exemplifies the influence of physics on biological systems and provides a persuasive framework for enhancing the instruction of wave dynamics and fluid mechanics in high school physics.

The phenomenon of animals harnessing energy from their surroundings to minimize their own energy consumption is well recorded in nature. Fish aggregate in schools to utilize vortices, birds navigate in V-formations to optimize energy expenditure, and marine mammals draft behind one another during extensive migrations. Likewise, ducklings seem to exploit the wake produced by their mother as she navigates through the water. This wake comprises a pattern of transverse and divergent waves generated by the disturbance at the water's surface. When ducklings align themselves in particular positions concerning wave crests and troughs, they encounter positive interference of wave energy, which diminishes hydrodynamic drag and offers a forward thrust. The ducklings are riding the waves, utilizing the kinetic energy conveyed by the fluid medium for their movement. The wave field generated by the leading duck establishes areas of less resistance, enabling the following ducklings to conserve energy while sustaining velocity [1].

This wave-riding behavior has been validated through high-resolution numerical simulations and empirical observations. Researchers employed computational fluid dynamics to simulate the wave field produced by a leading duck and analyzed the flow patterns experienced by ducklings at different positions. The findings demonstrate that when ducklings are positioned accurately within the constructive interference zones of the wave pattern, they can attain energy savings of up to 62% compared to swimming in isolation. Furthermore, the advantage extends beyond the duckling directly following the mother. A properly spaced line of ducklings can engage in a chain of energy transfer and mutual support, creating a dynamically stable and energy-efficient convoy [1].

This occurrence serves as an exemplary case study for the application of theoretical knowledge to real-world systems in physics education. It enables students to transcend theoretical wave equations and interact with the concrete ramifications of wave motion, energy transfer, and fluid resistance. Furthermore, it corresponds with contemporary pedagogical methods that prioritize inquiry-based learning and the utilization of genuine phenomena to ground scientific comprehension. Incorporating the duckling wave-riding phenomenon in the classroom enables instructors to cultivate conceptual links among subjects such as wave interference, energy conservation, and Newton's laws of motion.

This setting facilitates the incorporation of computational thinking and modeling into physics teaching, enabling students to simulate or visualize wave interactions and anticipate optimal placements for energy conservation. The tale additionally advocates multidisciplinary instruction, connecting physics with biology, environmental science, and engineering. This embodies the objectives of contemporary science education frameworks like the Next Generation Science Standards (NGSS), which promote contextualized, interconnected, and intellectually rigorous learning.

The examination of ducklings following their mother in her wake beyond mere curiosity; it is a valuable instructional opportunity. It illustrates the cohesion of scientific ideas across disciplines, fosters critical thinking, and offers a compelling story that enables students to perceive physics not merely as a collection of equations, but as a means to comprehend the intricacy and beauty of the natural world.

2. The Physics of Surface Waves and Wave Drag

2.1 Wave Generation and Propagation

The motion of a body over a fluid's surface produces a complicated wave pattern, influenced by various interacting factors such as the object's speed, shape, and size, together with the fluid's characteristics. The mother duck's movement across the pond or lake disrupts the fluid equilibrium, causing vertical and horizontal displacement of the water. This disturbance triggers the creation of waves that radiate forth from the body, producing a distinctive wake pattern consisting of both transverse and divergent elements. Comprehending the generation and propagation of these waves is crucial for recognizing the energetic advantages that trailing ducklings gain while swimming in their mother's wake.

The theoretical basis for wave propagation in fluids is rooted in classical hydrodynamics. Surface waves on a fluid interface are disturbances that propagate along the boundary between two media, specifically water and air, conveying energy without a net movement of matter. The principal wave types produced by the movement of the mother duck are gravity waves and, to a lesser degree, capillary waves. Gravity waves are primarily influenced by the restoring force of gravity, which seeks to restore the displaced water surface to balance. These waves generate the extensive V-shaped wake that is readily discernible behind migrating waterfowl. Capillary waves, conversely, are propelled by surface tension, with their effects being more significant at shorter wavelengths, especially near the disturbance.

As the duck advances, it generates a persistent disruption in the fluid, creating a wake characterized by overlapping wavefronts. The Kelvin wake pattern, initially articulated analytically in the 19th century, delineates the geometric configuration of these wakes. Kelvin's hypothesis posits that the angle of the wake in relation to the direction of travel remains constant for deep-water gravity waves, measuring around 39 degrees in total, or 19.5 degrees on either side of the trajectory. The waves inside this angle are categorized as transverse waves, which line with the direction of motion, and divergent waves, which propagate away from the axis of travel. This pattern is distinctly evident behind the mother duck, as concentric ripples and angled crests delineate a uniform hydrodynamic field (Fig 1). The distinctive Kelvin wake creates a symmetrical pattern behind the duck, where ducklings position themselves to take advantage of diminished drag zones and utilize wave-induced propulsion.

Wave production is not solely a visual occurrence; it possesses energetic consequences for anyone traversing or engaging with the fluid. A body moving at a steady speed through water must consistently provide energy to sustain the generated wave pattern. This requirement represents a type of resistance termed wave drag, which occurs primarily owing to energy radiation through wave creation. For the mother duck, this signifies that a segment of her metabolic energy is perpetually transformed into wave energy that travels behind her. Nonetheless, this identical energy can be utilized by ducklings that align themselves correctly inside their wake.



Fig 1: V-shaped wake produced by a mother duck with ducklings positioned along energy-efficient paths

The wavefronts generated by the leading duck travel at a velocity dictated by the dispersion relation for gravity-capillary waves, which is contingent upon both wavelength and the physical characteristics of the water, including density, gravity, and surface tension. Waves of longer wavelengths, characteristic of gravity-dominated conditions, propagate more rapidly than shorter wavelength capillary waves. Under real-world conditions, such as a tranquil pond, the interaction between these two wave types produces a composite field in which energy is allocated over various frequency bands [6]. Ducklings following their mother navigate a structured energy landscape, where optimal location can lead to synchrony with advantageous wave phases.

From an educational perspective, the formation and transmission of these waves can be elucidated by comparisons to ripples produced by a stone dropped into water or by examining wave interference patterns in ripple tanks. Extending this to the examination of biological systems, such as the mother-duck formation, enables students to recognize the significance of physical principles in real-world occurrences. It also prepares for the introduction of more sophisticated concepts such as wave energy transfer, phase relationships, and momentum conservation in fluid systems.

Through the visualization of wave production and comprehension of their propagation, students acquire a fundamental grasp of the environment in which the ducklings exist. This conceptual foundation is crucial for examining how the ducklings orient themselves in the mother's trail to reduce energetic expenditure—a subject elaborated upon in later sections.

2.2 Surface Tension and Capillary Effects

Gravity waves primarily influence the large-scale characteristics of the wake generated by a duck traversing a body of water, whereas surface tension significantly contributes to the intricate structure of the wave field, particularly in proximity to the moving entity. In little disturbances—like those produced by the leading edges of a duck's body or the feet of ducklings swimming at the surface—capillary effects become prominent. The effects are dictated by the cohesive forces among water molecules at the water-air interface and are especially pertinent to comprehending the intricate interactions of ducklings with the wave environment generated by the mother duck.

Surface tension originates from molecular interactions inside the liquid. Molecules near the fluid's surface encounter a net inward pull resulting from an imbalance in cohesive forces, which minimizes surface area and produces surface tension. The force is defined by the surface tension coefficient (σ), usually expressed in newtons per meter (N/m), which indicates the energetic expense of altering the fluid interface. When an item, like the webbed foot of a duckling, depresses the water surface, a restoring force corresponding to the curvature of the deformation is produced. This force not only opposes deformation but also conveys energy through the fluid as capillary waves—short-wavelength, high-frequency surface waves primarily influenced by surface tension rather than gravity [10].

Capillary waves are distinct from gravity waves in both their primary restoring force and their dispersion relation. The phase speed of capillary waves escalates as the wavelength diminishes, contrasting with the behavior seen by gravity waves. Consequently, capillary waves propagate swiftly over the surface in reaction to high-frequency perturbations, such as those produced by little motions or pronounced characteristics on the duck's body surface. The waves are most pronounced in the near-field wake—the area directly surrounding the moving object—where the fluid interface experiences constant localized deformation [9].

For ducklings, which possess minimal mass and surface area, capillary waves represent a substantial element of their hydrodynamic surroundings. While paddling and repositioning in the wake of the mother duck, they confront not only the overarching gravity-driven wave field but also a more intricate arrangement of ripples and pressure gradients generated by surface tension dynamics. These nuanced capillary characteristics can affect buoyant distribution, lateral stability, and propulsion efficiency. The interplay between the ducklings' movements and the surrounding capillary waves can create a feedback system that assists them in remaining inside the advantageous areas of the mother's wake. This dynamic positioning facilitates the preservation of hydrodynamic equilibrium, reducing drag and optimizing the forward force derived from wave interactions [1].

In educational contexts, surface tension and capillary action are frequently demonstrated through laboratory activities, such floating paper clips, witnessing water ascending small capillaries, or analyzing the meniscus in graduated cylinders. Although these demonstrations illustrate the essential characteristics of surface tension, the actions of ducklings traversing a landscape of gravitational and capillary waves provide a more comprehensive and nuanced depiction. It correlates surface tension with movement, wave interference, and energy conservation in an ecological framework. This motivates students to transcend rote memorizing and cultivate an awareness of the manifestation of physical laws in dynamic and biologically pertinent systems.

Furthermore, examining capillary waves in the context of animal behavior improves scientific literacy and systems thinking. It illustrates that even minute pressures like surface tension can produce macroscopically observable effects when integrated within a network of biomechanical and ecological interactions. This provides a significant opportunity for high school physics curricula to integrate concepts usually taught in isolation—such as forces, waves, and fluid properties—into a cohesive and authentic narrative of real-world physics.

3. Hydrodynamic Benefit of Wave Riding

3.1 Constructive Interference and "Wave Surfing"

At the heart of the energetic efficiency observed in ducklings swimming behind their mother lies the The energetic efficiency of ducklings swimming following their mother is rooted in the notion of constructive interference, a fundamental idea in wave physics applicable to this biological scenario. Constructive interference transpires when multiple wavefronts converge, causing their displacements to amplify each other, so producing a wave of increased amplitude. Ducklings following their mother utilize the wake's interference to harness wave energy, thereby diminishing the metabolic expense of propulsion. The ducklings are not simply swimming through calm water; they are "surfing" on the undulating surface generated by their mother's movement, leveraging the wave field's constructive aspects to maintain forward momentum (Fig 2). Positioning beside the peaks of the wake enables ducklings to use constructive interference, enhancing propulsion and minimizing energy consumption.

The wake produced by a moving duck comprises a periodic arrangement of surface waves, structured into transverse and divergent elements. These waves propagate from the source at angles dictated by the object's velocity and the characteristics and depth of the water. As the mother duck advances, each movement of her body and legs produces a series of wavefronts that propagate backward and laterally, creating a rhythmic and repetitive pattern. These wavefronts, akin to those in a wave or ripple tank utilized in physics education, can interact either constructively or destructively

based on the phase relationship between their crests and troughs [6].
When a duckling is oriented so that the incoming wave crests are in phase with its speed, it undergoes an additive impact on its movement—a net forward force resulting from constructive interference (Fig 1). Positioning beside the peaks of the wake enables ducklings to harness constructive interference, so enhancing propulsion and minimizing energy consumption.



Fig 2: Ducklings are positioned on wave crests behind the mother duck

The wave-surfing mechanism is most efficient when the duckling's body is oriented with particular areas of the mother's wake where wave amplitudes enhance propulsion. The work by Yuan *et al.* [1], utilizing computational fluid dynamics, revealed that ducklings positioned at appropriate longitudinal intervals behind the mother enjoy a decrease in the net hydrodynamic force necessary for locomotion. This transpires as the intersecting waves at these intervals provide regions of positive pressure gradients that facilitate the propulsion of the duckling forward. These zones resemble a succession of miniature ramps on the water's surface, enabling the ducklings to glide rather than paddle, akin to how a surfer rides a wave to accelerate without exerting muscular effort (Fig 3). This diagram demonstrates the propagation of energy through periodic disturbances, similar to how wave crests facilitate the consecutive movement of ducklings for enhanced propulsion



Fig 3: Conceptual model of energy transfer via wave interaction along a chain of masses

This image will enhance the physical comparison between wave-based energy transmission and the biomechanical coordination of ducklings in formation. Please inform me whether you would like me to compose a paragraph that specifically analyzes this image in relation to the findings of the Yuan *et al*. study [1].
In contrast to conventional surfing, where the wave is a fleeting disruption, the wake generated by a duck serves as a persistent and renewed source of wave energy. Provided the mother advances, the following ducklings can stay inside a beneficial zone of constructive interference. This presents the notion of phase locking in biological locomotion, a phenomenon where the movement of a follower synchronizes with the wave phases of the leader's wake. Maintaining this synchrony necessitates continual micro-adjustments by the ducklings, possibly involving both sensory input and motor control to sustain the energy-efficient configuration.
The notion of surfing in wave mechanics serves as an exemplary analogy for students studying energy transfer and interference. In standard secondary physics instruction, constructive and destructive interference are frequently illustrated by light or sound waves utilizing sinusoidal graphs and abstract representations. The scenario of ducklings riding a flowing wave created by their mother presents these concepts through a visually captivating and concrete illustration. It enables educators to demonstrate that constructive interference is not merely a mathematical concept but also a mechanism with practical implications in the real world, particularly in biological locomotion.
This setting facilitates the modeling of periodic functions and wave interactions with digital technologies. Students may utilize software to simulate wave trains and examine the impact of positional and phase alignment variations on the resultant wave amplitude. They can subsequently correlate these models with the actual data from the Yuan *et al*. study [1], enhancing their comprehension of the application of theoretical physics principles to real-world systems. This method also facilitates the attainment of learning objectives related to system thinking, as it illustrates how individual behavior (duckling location) is contingent upon and reacts to a larger dynamic system (the wave field).
The ducklings' capacity to utilize constructive interference illustrates a natural optimization approach based on physical principles. It demonstrates how animals can develop behaviors that utilize fundamental concepts like wave superposition and energy conservation, transforming physical limitations into biological benefits. It connects the abstract with the observable, enhancing the instructional framework of physics education through genuine scientific phenomena.

3.2 Dynamic Equilibrium and Group Stability

The seemingly easy movement of ducklings following their mother on the sea exemplifies not only wave surfing and constructive interference but also dynamic equilibrium within a self-organizing biological system. Dynamic equilibrium, in this context, denotes the ongoing adjustment of locations and movements by individual ducklings in reaction to the variable conditions of the fluid environment. Despite the intrinsic instability of water surfaces and the intricacy of interacting wave patterns, the ducklings sustain a cohesive and stable formation, exemplifying the ability of biological systems to self-regulate amid dynamic physical limits.
This formation is not fixed nor inflexible. Each duckling consistently adjusts its position, velocity, and paddling

intensity to stay inside the ideal areas of the mother's wake. These regions, defined by diminished drag and advantageous wave-induced push, are not static but fluctuate according to the mother's velocity, variations in water resistance, and the ducklings' own disturbances of the surface. To retain their position within this advantageous zone, ducklings must execute continuous adjustments, uphold lateral alignment, and maintain spacing that facilitates energy conservation and stability [1]. The outcome is a convoy-style configuration that maintains general group cohesion via decentralized input instead of centralized authority.

This behavior can be analyzed through the principles of flow stability and wave coupling in hydrodynamics. The ducklings function as coupled oscillators, reacting to the spatial-temporal configuration of the fluid field produced by the leader and the actions of their nearby companions. If a duckling deviates slightly from the appropriate wave phase, it may experience heightened resistance, necessitating a corrective action to re-establish itself inside a zone of constructive interference. These corrections demonstrate the system's inherent capacity to achieve equilibrium, a characteristic of dynamic stability. This phenomenon resembles other biological systems, such as fish schools maintaining coordinated forms in turbulent currents or starlings altering their trajectories in murmuration [7].

The study by Yuan *et al.*, use computational simulations to validate the presence of pressure nodes and wave troughs behind the mother duck, where ducklings preferentially position themselves [1]. These positions are associated with minimal hydrodynamic expense and maximal stability. The simulations indicate that these benefits depend on the spacing between ducklings. When ducklings are situated too near, interference patterns may become erratic, diminishing the energy advantage and heightening the risk of disrupting the entire assembly. Conversely, excessive spacing leads to an inadequate capture of energy from the wave field. Consequently, the observed development signifies an evolving balance between optimizing individual energetic efficiency and preserving overall group cohesion.

The phenomena of dynamic equilibrium in a fluid-mediated system is a valuable teaching opportunity in high school physics instruction. It encourages students to contemplate how stability might arise in systems exposed to constant external disturbances. Lessons may include video study of duckling locomotion, modeling of oscillator synchronization, and simpler experiments with floating items in a wave tank to replicate group dynamics. These activities cultivate an understanding of the intricacies of coupled systems and underscore the significance of physics in elucidating coordinated motion in both biological and manmade environments.

Furthermore, familiarizing pupils with the concept of self-organizing systems—where order emerges from local interactions instead of centralized directives—facilitates the cultivation of systems thinking and interdisciplinary reasoning. Physics education is progressively anticipated to equip students with the ability to comprehend intricate, adaptable processes in nature, society, and technology. The formation swimming of ducklings, regulated by fluid dynamics and behavioral adaptation, exemplifies this system. It illustrates how physical rules impose limitations while simultaneously facilitating the formation of steady, efficient, and exquisite patterns of motion in living creatures.

The ducklings' capacity to sustain group formation via dynamic equilibrium exemplifies a significant interaction between physics and biology. Their movement demonstrates the ability to harness and balance physical forces for collective stability, as well as the adaptive responses of organisms to their environments to maximize energy efficiency. Through the examination of this behavior, students acquire insights into fluid dynamics as well as the overarching principles of coordinated motion and the self-regulatory behavior of complex systems.

4. Implications for Physics Education

4.1 Engaging Contexts for Wave Physics

A continual challenge in secondary physics teaching is the difficulty of rendering complex topics approachable and meaningful to students. Wave physics frequently experiences decontextualized training; students engage with sine waves on paper, mathematical equations for frequency and wavelength, and theoretical discussions of interference, yet rarely observe the real-world applications of these topics. The instance of ducklings swimming in formation after their mother offers a genuine, observable, and engaging environment for students to investigate essential characteristics of wave motion and fluid dynamics, while concurrently recognizing the real-world relevance of these phenomena.

The hydrodynamic interaction between ducklings and the wave field produced by their mother's movement inherently familiarizes students with the principles of amplitude and wavelength. As the mother duck traverses the water, she generates a cyclic wake of surface waves, each with quantifiable height and distance between crests. These waveforms are not only passive characteristics of the water's surface but dynamic structures that influence the drag and thrust experienced by trailing ducklings. By examining the placements of ducklings within the wake, students can deduce the spatial periodicity of the wave pattern and directly associate it with the concept of wavelength. Likewise, the fluctuations in wave height provide a tangible illustration of amplitude and its significance in ascertaining wave energy.

Wave interference, a fundamental concept in wave theory, also arises organically from this situation. The ideal arrangement of ducklings within the wake illustrates constructive interference zones—areas where overlapping wavefronts amplify one another, generating net forces that facilitate propulsion. If a duckling enters an area where interacting waves negate each other or generate turbulence, it encounters heightened resistance, exemplifying the idea of destructive interference. This behavioral alignment facilitates a discussion of superposition physics in an intuitive and visually grounded way, demonstrating to students that interference patterns extend beyond laboratory optics and are integral to ordinary nature events.

Furthermore, the duckling example elucidates the principle of wave energy transmission. Students can investigate how the energy transmitted from the mother duck's muscular movement into the water is conveyed by the wave field and becomes available to the following ducklings. This illustrates that waves are not merely disturbances but conduits of energy, capable of exerting power on objects in their trajectory. The ducklings, by positioning themselves strategically inside this field, convert wave energy into mechanical advantage—an concept that effectively links physics to biology. The concept of energy transfer through waves, typically illustrated using mechanical models or sound transmission, is thereby anchored in a biologically pertinent and emotionally impactful example.

Surface tension and fluid resistance, concepts frequently addressed superficially in high school curricula, are revitalized through this illustration. At the diminutive scale of ducklings engaging with surface waves, surface tension significantly influences the near-field wave environment and dictates the energetic expenditure of locomotion. Students can be instructed to examine how the curvature of the water surface, particularly adjacent to the edges of the ducklings' bodies, generates capillary waves and produces either resistance or support based on the local fluid dynamics. This discourse facilitates a more profound investigation of fluid mechanics, encompassing drag forces, laminar and turbulent flow, as well as the influence of viscosity and cohesion on wave production.

Educators might structure classroom inquiry around engaging, student-generated questions, such as: Why do ducklings align in a straight formation rather than disperse randomly? What is the impact of spacing among ducklings on their swimming effort? Is there a reliable mathematical model that can characterize their behavior through wave equations? These inquiries promote hypothesis formulation, modeling, and analysis, matching effectively with inquiry-based pedagogies and the Next Generation Science Standards' focus on scientific procedures [8]. Students may encounter challenges in creating physical or computational models of wave interactions, estimating energy savings depending on placement, or simulating interference patterns with digital tools.

The behavior of ducklings trailing their mother exemplifies a significant transdisciplinary phenomenon. It offers a significant framework in which the abstractions of wave physics are rendered tangible, functional, and intellectually stimulating. It also underscores the significance of physics in comprehending life and motion within the natural world, aiding in the demystification of science and fostering a sense of wonder and inquiry.

4.2 Modeling and Simulation Activities

The intricate and dynamic wave-riding behavior exhibited by ducklings swimming following their mother provides an excellent opportunity for incorporating modeling and simulation into physics education. Students derive substantial benefits from actively developing, testing, and revising models of physical processes, rather than only seeing or theorizing. Modeling the hydrodynamic interactions of ducklings allows learners to investigate wave characteristics, interference patterns, and force dynamics in an engaging and intellectually stimulating way. It also fosters scientific processes including data interpretation, computational reasoning, and systems thinking, which are increasingly prioritized in national and international science education standards [8].

A method for representing this system in the classroom entails simplified physical simulations. Students can utilize a shallow water tank to simulate the impact of a body traversing through water and examine the resultant wave patterns. By maneuvering a small object around the tank at a constant velocity—such as a motorized rubber duck or one tethered by a string—one can see the generation of surface waves, encompassing both transverse and divergent elements. Positioning diminutive floating objects behind the mobile "mother duck" enables pupils to investigate the influence of spacing on the movement and stability of the subsequent objects. These physical, miniature models promote conceptual understanding of processes such as wave creation, interference, and wake dynamics.

Students can thereafter advance digital modeling settings to enhance their comprehension. Software platforms like PhET Interactive Simulations and GeoGebra offer accessible tools for visualizing wave propagation and superposition. Students can utilize these platforms to create sinusoidal waveforms that simulate the wake generated by the mother duck and manipulate the wavelength, amplitude, and phase. By replicating the arrangement of ducklings along the wave crest-trough sequence, students may examine how constructive and destructive interference influences the theoretical net pressures acting on each duckling (Fig 4). Modifiable factors, including amplitude, wavelength, and velocity, enable students to simulate wave behavior and investigate ideal alignment for energy-efficient motion with digital tools.



Fig 4: Simulation of duckling positioning along a propagating wave

In sophisticated environments, basic Python simulations or spreadsheet applications can be utilized to create bespoke models that integrate several ducklings and variable wave parameters.

These modeling activities not only reinforce academic concepts but also encourage metacognitive thinking on the essence of scientific models. Students may evaluate the premises, advantages, and constraints of physical and digital representations. Physical water tank simulations can demonstrate authentic fluid dynamics, such as turbulence and wave decay, which are lacking in idealized computer models. In contrast, digital models provide accurate control and measurement of variables that are challenging to manage in a physical fluid system. Through the exploration of these forms, students cultivate a more comprehensive and sophisticated grasp of the physical system being examined and the epistemological function of models in science.

Integrating the modeling of duckling wave-riding behavior corresponds with the educational objectives of phenomenon-based learning. Instead of considering waves as discrete subjects, students interact with them to comprehend a cohesive and significant phenomenon. They are driven to enhance their models to incorporate observable behaviors—such as the energy savings noted in actual ducklings—

thereby grounding abstract notions like wave energy transmission, constructive interference, and drag in genuine investigation. This method reflects the process of scientific inquiry, wherein models adapt to new evidence or enhanced comprehension.

Furthermore, the application of modeling in this setting promotes interdisciplinary integration. Educators may encourage students to investigate the biological ramifications of the model, including the significance of energy efficiency in animal movement, or to examine engineering analogies, such as how drones or submarines could replicate comparable tactics for energy conservation in fluidic contexts. By doing so, modeling surpasses content silos and fosters the cross-disciplinary reasoning esteemed in modern STEM education [2].

Through structured modeling and simulation exercises focused on the ducklings' interaction with surface waves, students are acquiring knowledge about waves while developing a physicist's mindset. They are urged to pose prediction inquiries, examine variables, picture unseen forces, and refine explanations. Cognitive and epistemic processes are fundamental to the objectives of high-quality science education, enabling students to apply their learning to novel contexts and obstacles.

4.3 Experimental Extensions

While modeling and simulation provide essential tools for conceptual understanding, experimental activity remains a cornerstone of effective physics education. Offering students the opportunity to engage with real-world systems through empirical investigation not only reinforces theoretical knowledge but also cultivates critical thinking, measurement skills, and scientific inquiry. The wave-riding behavior of ducklings lends itself to a variety of experimental extensions that can be adapted for use in secondary classrooms, ranging from simple analog setups to more complex investigations involving motion tracking and fluid dynamics.



Fig 5: Simplified experimental setup to investigate wave-induced forces on a floating object

Although modeling and simulation are vital for conceptual comprehension, experimental activities are fundamental to effective physics teaching. Providing students the chance to interact with real-world systems through empirical examination enhances theoretical understanding while fostering critical thinking, measuring proficiency, and scientific curiosity. The wave-riding behavior of ducklings permits numerous experimental extensions suitable for secondary classrooms, from basic analog setups to intricate investigations including motion tracking and fluid dynamics.

Illustration 5. Streamlined experimental configuration to examine wave-induced stresses on a buoyant item.

An essential experimental configuration may consist of a shallow water tank—such as a sizable clear tray or aquarium—filled with water and fitted with a smooth dragging apparatus (Fig 5). A wave maker produces surface waves that go towards a floating platform with a duck model, emulating the wake interaction observed in duckling formation swimming. A diminutive object symbolizing the mother duck, such as a plastic figurine or an altered toy boat, can be dragged consistently through the water utilizing a pulley, thread, or motorized track. As the lead object traverses the tank, students will witness the emergence of surface waves trailing after it, exactly mirroring the V-shaped Kelvin wake pattern observed in actual ducks. Subsequent items of comparable size and form, mimicking the ducklings, may be positioned at different intervals behind the leader to examine the impact of spacing and alignment on movement.

Students can develop ideas on the ideal positioning of the trailing objects to minimize resistance and evaluate them through multiple experiments. Measurements may encompass the ease of movement (e.g., acceleration upon release), estimates of drag force (utilizing spring scales or motion sensors), or the deflection angles of wave patterns. Through the comparison of the behavior of items positioned at various longitudinal and lateral offsets, students can objectively discern areas of constructive interference and diminished drag, reflecting the advantages observed in actual ducklings [1]. This practical assignment pushes students to correlate observed data with the concepts of wave interference, energy transfer, and fluid resistance.

In technologically equipped classrooms, video analysis tools like Tracker can be utilized to capture and examine motion trajectories and wave patterns in slow motion. These digital instruments allow students to gather more accurate data on velocity, acceleration, and displacement, and to visualize the propagation of disturbances throughout the water surface. The integration of experimental data with motion graphs and vector analysis offers a multidimensional perspective on complex fluid systems.

These experimental extensions facilitate collaborative, project-based investigation. Student groups may be assigned to formulate their own inquiry centered on the primary question: how may trailing objects in water diminish their energy expenditure by harnessing waves? Certain groups may concentrate on altering the dimensions, form, or buoyancy of the objects, while others may examine the impacts of varying water depth or object velocity. This design-oriented learning method promotes creativity, problem-solving, and contemplation of scientific experimentation, while emphasizing fundamental physical principles.

Furthermore, these experiments might be contextualized within wider multidisciplinary issues. Discussions may encompass the ecological ramifications of animal locomotion tactics, bio-inspired engineering (e.g., underwater vehicle design), and human activities such as drafting in cycling or swimming. These links facilitate curriculum integration among physics, biology, and technology, enhancing students' understanding of the coherence of scientific knowledge.

Significantly, these experimental endeavors foster diversity and accessibility in physics teaching. Students who find abstract or mathematical reasoning challenging frequently excel in practical settings where they may see, manipulate, and engage in discussions about physical systems in real time. The duckling wave-riding scenario, characterized by its visual clarity and biological significance, effectively engages a varied array of learners, rendering physics more accessible and relatable.

In conclusion, the design and execution of experimental research on the duckling wake-surfing phenomenon enriches physics education by rendering wave ideas concrete and empirically verifiable. These activities enable students to function as scientists by formulating inquiries, devising methodologies, gathering evidence, and creating explanations. They enhance conceptual comprehension while cultivating scientific reasoning and respect for the explanatory capacity of physics in elucidating the natural world.

5. Conclusion

The wave-riding action of ducklings swimming in formation after their mother exemplifies the interplay between physical principles and biological strategies in nature. What may initially seem like a straightforward instance of parental following behavior is, in reality, a complex interaction of fluid mechanics, wave interference, and energy optimization. This phenomenon, corroborated by observational data and computational fluid dynamics simulations, underscores the significant influence of physical principles on biological motion and offers a valuable framework for reevaluating the teaching of physics in secondary education.

The duckling formation exemplifies fundamental principles in wave physics: the creation and transmission of surface waves, constructive and destructive interference, and the conveyance of mechanical energy via a medium. By positioning themselves strategically in the mother's wake, ducklings can use wave energy, so minimize hydrodynamic drag and realizing considerable energy conservation. This behavior is not arbitrary; it demonstrates a dynamic equilibrium and spatial awareness that corresponds with the physical configuration of the wave field. The advantages are both biomechanical and pedagogical—this natural instance provides educators with a chance to instruct abstract physics principles within a realistic, interdisciplinary, and engaging framework.

Incorporating this phenomenon into physics instruction advances many educational objectives. It promotes conceptual comprehension by anchoring theoretical concepts in practical systems, stimulates inquiry and experimentation via classroom modeling and simulation activities, and establishes interdisciplinary links with biology, engineering, and environmental science. The illustrative and accessible character of the example accommodates varied learning requirements and fosters scientific literacy by enabling students to perceive physics not merely as isolated equations but as a framework for comprehending the world.

As education transitions to phenomenon-based learning, modeling, and the cultivation of scientific behaviors, the case of duckling wave-riding exemplifies curricular significance. It enables students to observe, inquire, examine, and elucidate the complete spectrum of scientific activity that reflects the endeavors of both physicists and biologists. Through the examination of ducklings navigating waves, students gain an appreciation for the interconnectedness of natural systems and the elucidatory capacity of physics in articulating the graceful, efficient, and even unexpected solutions devised by evolution.

Ultimately, instructing physics through such events transcends mere knowledge transmission; it fosters curiosity, interdisciplinary reasoning, and a feeling of wonder. It asserts the significance of science in daily life and urges learners to perceive the universe as an interconnected system regulated by comprehensible and discoverable principles rather than as a mere assemblage of isolated facts. The duckling wake-riding activity serves as an instructional instrument that connects theory and observation, enhancing comprehension and motivating future scientific minds.

6. References

1. Yuan Z-M, Chen M, Jia L, Ji C, Incecik A. Wave-riding and wave-passing by ducklings in formation swimming. J Fluid Mech. 2021; 928:R2. Doi: 10.1017/jfm.2021.820
2. Bybee RW. The Case for STEM Education: Challenges and Opportunities. National Science Teachers Association Press, 2013.
3. Birkhoff G. Hydrodynamics. Princeton University Press, 2015.
4. Batchelor GK. An introduction to fluid dynamics. Cambridge University Press, 2000. Doi: 10.1017/CBO9780511800955
5. Milne-Thomson LM. Theoretical hydrodynamics. Courier Corporation, 1996.
6. Whitham GB. Linear and nonlinear waves. John Wiley & Sons, 2011.
7. Couzin ID, Krause J, Franks NR, Levin SA. Effective leadership and decision-making in animal groups on the move. Nature. 2005; 433(7025):513-516. Doi: 10.1038/nature03236
8. National Research Council, Division of Behavioral and Social Sciences and Education, Board on Science Education, Committee on a Conceptual Framework for New K-12 Science Education Standards. A framework for K-12 science education: Practices, crosscutting concepts, and core ideas. National Academies Press, 2012. Doi:10.17226/13165
9. Lighthill MJ, Lighthill J. Waves in fluids. Cambridge University Press, 2001.
10. Vogel S. Life in Moving Fluids: The Physical Biology of Flow. Princeton University Press, 1996.