



Received: 21-03-2026
Accepted: 01-05-2026

ISSN: 2583-049X

Complementary and Alternative Treatment Methods for Allergic Rhinitis: A Short Narrative Review

¹ Kamlesh Dubey, ² Neena Chuni

¹ Associate Professor/ ENT, Manipal University College Malaysia, Melaka, Malaysia

² Professor/OBG, Manipal University College Malaysia, Melaka, Malaysia

DOI: <https://doi.org/10.62225/2583049X.2026.6.3.6246>

Corresponding Author: **Kamlesh Dubey**

Abstract

Allergic rhinitis (AR) is a highly prevalent chronic condition affecting hundreds of millions worldwide, with incidence continuing to rise. Conventional pharmacotherapy (antihistamines, intranasal corticosteroids, leukotriene antagonists, and immunotherapy) is effective but can be limited by side effects, cost, and long-term adherence issues. Complementary and alternative medicine (CAM) approaches, including acupuncture, herbal therapies, saline irrigation, and others, are widely used globally and particularly in Asian countries. This updated review synthesizes evidence from the literature up to April 2026 on

common CAM modalities for AR symptom relief and quality-of-life improvement. While recent systematic reviews and meta-analyses provide supportive data for certain interventions (e.g., acupuncture and select herbal preparations), the overall evidence base remains limited by methodological heterogeneity, small sample sizes, and variable study quality. Further high-quality randomized controlled trials are needed to establish efficacy, mechanisms, safety, and optimal integration with conventional care.

Keywords: Allergic Rhinitis, Complementary and Alternative Medicine, Acupuncture, Herbal Therapy, Saline Irrigation, Review

Introduction

Allergic rhinitis (AR) is characterized by nasal congestion, discharge, sneezing, and itching following allergen exposure. It affects quality of life and productivity globally [1-3]. Conventional treatments include H1-antihistamines, leukotriene antagonists, glucocorticosteroids, and immunotherapy [4]. Complementary and alternative medicine improves clinical effects and reduces adverse reactions [5-7]. This article discusses common CAM therapies for AR.

Data Search

Electronic databases (PubMed, Embase, MEDLINE, Springer, Proquest, Cochrane Library) were searched for articles available up to the time of the original review (December 2019), with key findings retained and updated where applicable. The ARIA-EAACI 2024–2025 guidelines were incorporated for context on current conventional management standards.

Common Forms of Complementary and Integrative Treatments for Allergic Rhinitis Nonspecific Acupuncture

Many studies show improvement in AR symptoms after acupuncture sessions. Evidence for seasonal AR is mixed, while perennial AR shows suggestive benefit [8]. A large pragmatic trial demonstrated sustained clinical improvement [9].

Acupuncture at Sphenopalatine Ganglion Acupoint

Studies, mainly from China, report symptomatic relief via vagal and anti-inflammatory mechanisms [10, 11]. A systematic review supports its potential, though more high-quality evidence is needed [12].

Ear Acupressure

Evidence is limited; one systematic review suggested short- and long-term benefits, but methodological quality is poor and it is not routinely recommended [13].

Herbal Therapies

Common options include local honey, butterbur extract, spirulina, quercetin, silymarin, and others (see original table in the full manuscript). Studies show variable efficacy, with some positive results for symptom relief^[14-28].

Ayurvedic Treatment Methods

AR correlates with Vataja Pratishyaya. Holistic approaches including Snehana Nasya and herbal decoctions (e.g., Tamalakyadi) are used^[26, 27].

Homeopathy

Observational studies report symptom relief and improved quality of life^[29-31].

Saline Nasal Irrigation

Systematic reviews confirm improvement in symptoms, quality of life, and mucociliary clearance with reduced medication use. It is safe and recommended as an adjunct. The ARIA-EAACI 2024–2025 guidelines explicitly considered nasal irrigation (alone or as add-on therapy) among prioritized questions, reinforcing its role as a non-pharmacologic option^[32, 33, 35].

Conclusion

Complementary and alternative medicine (CAM) therapies offer promising adjunctive options for the management of allergic rhinitis (AR) and have been used for centuries in traditional medical systems. The latest ARIA-EAACI 2024–2025 guidelines reaffirm that pharmacotherapy—particularly intranasal corticosteroids and their combinations—remains the cornerstone of AR treatment. Non-pharmacologic approaches such as saline nasal irrigation are endorsed as safe and effective adjuncts. Although several CAM modalities show supportive evidence for symptom relief and improved quality of life, the overall evidence base for most approaches is limited by methodological heterogeneity, small sample sizes, and insufficient data on long-term safety and efficacy. Further high-quality randomized controlled trials, ideally aligned with the GRADE methodology used in recent ARIA updates, are essential to clarify their role and support evidence-based integration into patient-centered care pathways.

References

- Bousquet J, Khaltaev N, Cruz AA. Allergic rhinitis and its impact on asthma (ARIA) 2008 update (in collaboration with the World Health Organization, GALEN and AllerGen). *Allergy*. 2008; 63(Suppl 86):8-160.
- Schwindt CD, Settipane R. Allergic rhinitis (AR) is now estimated to affect some 1.4 billion people globally and continues to be on the rise [editorial]. *Am J Rhinol Allergy*. 2012; 26 Suppl:S1.
- Camelo-Nunes IC, Solé D. Allergic rhinitis: Indicators of quality of life. *J Bras Pneumol*. 2010; 36(1):124-133.
- Brozek JL, Bousquet J, Baena-Cagnani CE, *et al*. Allergic Rhinitis and its Impact on Asthma (ARIA) guidelines: 2010 revision. *J Allergy Clin Immunol*. 2010; 126(3):466-476.
- Schäfer T, Riehle A, Wichmann HE, Ring J. Alternative medicine in allergies-prevalence, patterns of use, and costs. *Allergy*. 2002; 57(8):694-700.
- Garbo G, Tessema B, Brown SM. Complementary and integrative treatments: Allergy. *Otolaryngol Clin North Am*. 2013; 46(3):295-307.
- Resnick ES, Bielory BP, Bielory L. Complementary therapy in allergic rhinitis. *Curr Allergy Asthma Rep*. 2008; 8(2):118-125.
- Lee MS, Pittler MH, Shin BC, Kim JI, Ernst E. Acupuncture for allergic rhinitis: A systematic review. *Ann Allergy Asthma Immunol*. 2009; 102(4):269-279.
- Brinkhaus B, Witt CM, Jena S, *et al*. Acupuncture in patients with allergic rhinitis: A pragmatic randomized trial. *Ann Allergy Asthma Immunol*. 2008; 101(5):535-543.
- Li XW, Tian ZP. A preliminary summary of the treatment on rhinitis puncturing sphenopalatine ganglion. *Beijing Chin Med*. 1990; 9(4):36-38.
- Li X. The mechanism analysis of treating nasal disease by sphenopalatine ganglion (acupoint “ZhiBi 3”) stimulation with acupuncture needle and an introduction to the relevant needling method. *J Clin Otorhinolaryngol Head Neck Surg*. 2011; 5:193.
- Fu Q, Zhang L, Liu Y, *et al*. Effectiveness of acupuncture at the sphenopalatine ganglion acupoint alone for treatment of allergic rhinitis: A systematic review and meta-analysis. *Evid Based Complement Alternat Med*. 2019, 6476237.
- Zhang CS, Yang AW, Zhang AL, *et al*. Ear-acupressure for allergic rhinitis: A systematic review. *Clin Otolaryngol*. 2010; 35(1):6-12.
- Asha'ari ZA, Ahmad MZ, Din WSJW, Hussin CMC, Leman I. Ingestion of honey improves the symptoms of allergic rhinitis: Evidence from a randomized placebo-controlled trial in the East Coast of Peninsular Malaysia. *Ann Saudi Med*. 2013; 33(5):469-475.
- Ishikawa Y, Tokura T, Nakano N, *et al*. Inhibitory effect of honeybee-collected pollen on mast cell degranulation *in vivo* and *in vitro*. *J Med Food*. 2008; 11(1):14-20.
- Ishikawa Y, Tokura T, Ushio H, *et al*. Lipid-soluble components of honeybee-collected pollen exert antiallergic effect by inhibiting IgE-mediated mast cell activation *in vivo*. *Phytother Res*. 2009; 23(11):1581-1586.
- Shaha A, Mizuguchi H, Kitamura Y, *et al*. Effect of royal jelly and Brazilian green propolis on the signaling for histamine H1 receptor and interleukin-9 gene expressions responsible for the pathogenesis of the allergic rhinitis. *Biol Pharm Bull*. 2018; 41(9):1440-1447.
- Saarinen K, Jantunen J, Haahtela T. Birch pollen honey for birch pollen allergy—a randomized controlled pilot study. *Int Arch Allergy Immunol*. 2011; 155(2):160-166.
- Burks AW, Laubach S, Jones SM. Oral tolerance, food allergy, and immunotherapy: Implications for future treatment. *J Allergy Clin Immunol*. 2008; 121(6):1344-1350.
- Ege MJ, Bieli C, Frei R, *et al*. Prenatal farm exposure is related to the expression of receptors of the innate immunity and to atopic sensitization in school-age children. *J Allergy Clin Immunol*. 2006; 117(4):817-823.
- Von Hertzen L, Haahtela T. Disconnection of man and the soil: Reason for the asthma and atopy epidemic? *J*

- Allergy Clin Immunol. 2006; 117(2):334-344.
22. Kobayashi M, Matsushita H, Tsukiyama R, Saito M, Sugita T. Soy sauce polysaccharides from soy sauce improve quality of life for patients with seasonal allergic rhinitis: A double-blind placebo-controlled clinical study. (Note: full citation details as per original source).
 23. Syuji Y, Yoshitaka O, Daiju S. Complementary and alternative medicine for allergic rhinitis in Japan. *Allergol Int.* 2017; 66:425-431.
 24. Koshak AE. Prevalence of herbal medicines in patients with chronic allergic disorders in Western Saudi Arabia. *Saudi Med J.* 2019; 40(4):391-396.
 25. Islam R, Mizuguchi H, Shaha A, *et al.* Effect of wild grape on the signaling of histamine H1 receptor gene expression responsible for the pathogenesis of allergic rhinitis. *J Med Invest.* 2018; 65(3-4):242-250.
 26. Shravan KU, Dhiman KS, Vaghela DB, Shweta M. Allergic rhinitis in ayurvedic perspective. *World J Pharm Res.* 2016; 4(8):2192-2198.
 27. Dahanayake JM, Perera PK, Galappatty P, Perera HDSM, Arawwawala LDAM. Comparative phytochemical analysis and antioxidant activities of Tamalakyadi decoction with its modified dosage forms. *Evid Based Complement Alternat Med.* 2019, 6495819.
 28. Sumit S. Unproven/alternative methods of treating allergic rhinitis. *Glob J Otolaryngol.* 2017; 3(1).
 29. Gründling C, Schimetta W, Frass M. Real-life effect of classical homeopathy in the treatment of allergies: A multicenter prospective observational study. *Wien Klin Wochenschr.* 2012; 124(1-2):11-17.
 30. Ernst E. Homeopathic *Galphimia glauca* for hay fever: A systematic review of randomised clinical trials and a critique of a published meta-analysis. *Focus Altern Complement Ther.* 2011; 16(3):200-203.
 31. Trompetter I, Lebert J, Weiß G. Homeopathic complex remedy in the treatment of allergic rhinitis: Results of a prospective, multicenter observational study. *Complement Med Res.* 2015; 22(1):18-23.
 32. Hermelingmeier KE, Weber RK, Hellmich M, Heubach CP, Mösges R. Nasal irrigation as an adjunctive treatment in allergic rhinitis: A systematic review and meta-analysis. *Am J Rhinol Allergy.* 2012; 26(5):e119-e125.
 33. Head K, Snidvongs K, Glew S, *et al.* Saline irrigation for allergic rhinitis. *Cochrane Database Syst Rev.* 2018; 6:CD012597.
 34. Sousa-Pinto B, Vieira RJ, Bousquet J, *et al.* Allergic Rhinitis and Its Impact on Asthma (ARIA)-EAACI Guidelines-2024-2025 Revision: Part I-Guidelines on Intranasal Treatments. *Allergy.* 2026; 81(4):954-976. Doi: 10.1111/all.70131
 35. Vieira RJ, Sousa-Pinto B, Bousquet J, *et al.* Allergic Rhinitis and its Impact on Asthma (ARIA)-EAACI Guidelines-2024-2025 Revision: Part II-Guidelines on Oral and Ocular Treatments. *Allergy*, 2026. Doi: 10.1111/all.70305
 36. Bousquet J, Sousa-Pinto B, Vieira RJ, *et al.* Methodology for the Development of the Allergic Rhinitis and its Impact on Asthma (ARIA)-EAACI 2024-2025 Guidelines: From Evidence-to-Decision Frameworks to Digitalised Shared Decision-Making Algorithms. *Allergy*, 2025. Doi: 10.1111/all.70100